

Reg. Off.: 101/A, "Shreyans", Kesar Baug CHS Ltd., L. T. Road, Borivali (W), Mumbai 400092. Maharashtra, India.
 Corp. Off.: 509, HIVE 67, ICON Tower, Borsapada Road, Next to Raghuleela Mall, Kandivali (W), Mumbai 400067 M.S. India
 Fac. Add.: Plot No. 1, Dewan & Sons Udyog, Vill. Mahim, Tal. & Dist Palghar 401404. Maharashtra, India.

DATE: September 25, 2024

TECHNICAL DATA SHEET

PRODUCT CODE

: MPRL DESOL - 100

PARAMETERS	TEST METHOD	STANDARD	RESULT
APPEARANCE	VISUAL	Bright & Clear	Bright & Clear
SPECIFIC GRAVITY, @ 29.5 °C	ASTM D 1298	0.740 - 0.820	0.757
COLOR	ASTM D 1500	W/W	W/W
ANILINE POINT, °C	ASTM D 611	80 - 95	89
AROMATICS, WT %	ASTM D 1319	Nil	Nil
FLASH POINT, COC, °C	ASTM D 92	95 Min	104
REFRACTIVE INDEX, °C	ASTM D 1218	1.4300 - 1.4500	1.4390
KIN. VIS. @ 40 °C CST	ASTM D 445	01 - 03	2.19
DISTILLATION RANGE, °C	ASTM D 86		
IBP		230 Min	248
05 ML		TBR	249
10 ML		TBR	250
20 ML		TBR	250
30 ML		TBR	251
40 ML		TBR	251
50 ML		TBR	251
60 ML		TBR	252
70 ML		TBR	252
80 ML		TBR	252
90 ML		TBR	252
95 ML		TBR	253
FBP		300 Max	256

Analytical Chemist: _____
(Quality Control Department)
MEHTA PETRO-REFINERIES LTD.